



1.2.11 TOBACCO CONVEYOR CHAIN



Chain No.	G	L	F	G1	L1	W1	E1	E2	d4
	mm	mm	mm	mm	mm	mm	mm	mm	mm
P200 F1	167.0	130.0	41.5	60.0	30.0	23.0	8.0	12.0	8.0
P200 F2	16.0	127.0	44.3	63.0	27.0	26.0	7.0	7.0	8.0
P200 F3	167.0	130.0	41.2	60.0	30.0	23.0	8.0	12.0	8.0
P200 F4	170.0	127.0	48.0	62.0	27.0	26.0	7.0	7.0	7.0
P203.2 F5	170.0	127.0	39.0	62.0	27.0	24.0	6.8	10.8	6.5

Chain No.	Pitch	Roller Diameter	Width Between Inner Plates	Pin Diameter	Pin Length	Inner Plate Depth	Plate Thickness	Tensile Strength	Average Tensile Strength	Weight Per Meter
	P	d1 max	b1 min	d2 max	Lc max	h2 max	T max	Q min	Qo	q
	mm	mm	mm	mm	mm	mm	mm	kN/lbf	kN	Kg/m
P200 F1	200.0	50.0	24.0	11.9	62.0	30.0	6.0	100/22480	110.0	6.1
P200 F2	200.0	50.0	25.5	14.0	63.0	35.0	6.0	130/29225	143.0	7.1
P200 F3	200.0	50.0	23.0	11.9	62.0	32.0	6.3	100/22480	110.0	6.4
P200 F4	200.0	60.0	26.0	18.0	75.0	45.0	8.0	230/51704	241.5	11.8
P203.2 F5	203.2	50.5	24.0	11.0	64.6	32.0	6.0	120/26977	130.0	6.2


1.2.11 TOBACCO CONVEYOR CHAIN



Chain No.	G	F1	F2	W1	W	d4	d5
	mm	mm	mm	mm	mm	mm	mm
P50.8 A1	30.0	33.0	32.0	45.7	86.7	8.8	24.0
P50.8 A2	30.0	34.0	32.0	44.0	85.0	8.6	24.0
P50.8 A3	30.0	28.5	32.0	45.7	86.7	8.8	24.0


Chain No.	Pitch	Roller Diameter	Width Between Inner Plates	Pin Diameter	Pin Length		Plate Depth	Plate Thickness	Tensile Strength	Average Tensile Strength	Weight Per Meter
	P	d1 max	b1 min	d2 max	L max	Lc max	h2 max	T max	Q min	Qo	q
	mm	mm	mm	mm	mm	mm	mm	mm	kN/lbf	kN	Kg/m
P50.8 A1	50.8	28.58	15.75	7.92	32.7	36.5	24.0	3.25	55.6/12500	60.0	3.37
P50.8 A2	50.8	28.58	15.75	7.92	36.2	38.9	24.0	4.00	55.6/12500	60.0	3.31
P50.8 A3	50.8	28.58	15.75	7.92	32.7	36.5	24.0	3.25	55.6/12500	60.0	3.37

1.2.11 TOBACCO CONVEYOR CHAIN



Chain No.	G	L	F	W	h4	d4
	mm	mm	mm	mm	mm	mm
P76.2	25.0	31.8	44.5	89.8	9.0	9.7


Chain No.	Pitch	Roller Diameter	Width Between Inner Plates	Pin Diameter	Pin Length	Plate Depth	Plate Thickness	Tensile Strength	Average Tensile Strength	Weight Per Meter
	P	d1 max	b1 min	d2 max	Lc max	h2 max	T max	Q min	Qo	q
	mm	mm	mm	mm	mm	mm	mm	kN/lbf	kN	Kg/m
P76.2	76.2	38.0	24.0	11.0	55.0	28.7	5.0	75/16860	80.0	5.67



Chain No.	G	F	W	h4	E1	E2
	mm	mm	mm	mm	mm	mm
P50	29.0	27.5	36.5	13.0	6.2	9.5

Chain No.	Pitch	Roller Diameter	Width Between Inner Plates	Pin Diameter			Plate Depth	Plate Thickness	Tensile Strength	Average Tensile Strength	Weight Per Meter
	P	d1 max	b1 min	d2 max	L max	Lc max	h2 max	t/T max	Q min	Qo	q
	mm	mm	mm	mm	mm	mm	mm	mm	kN/lbf	kN	Kg/m
P50	50.0	30.0	14.5	8.0	35.5	45.6	24.0	4.0	50/11240	55.0	3.73


1.2.11 TOBACCO CONVEYOR CHAIN



Chain No.	G	F	W	h4	d4
	mm	mm	mm	mm	mm
P100 F1	40.0	55.00	73.0	8.0	12.0
P100 F2	40.0	55.00	73.5	10.0	12.0
P100 F3	40.0	47.25	64.3	9.5	11.0
P100 F4	40.0	55.00	73.0	8.0	12.0
P160 F1	50.0	64.00	99.0	15.0	13.0


Chain No.	Pitch	Roller Diameter		Width Between Inner Plates	Pin Diameter	Pin Length		Plate Depth	Plate Thickness	Tensile Strength	Average Tensile Strength	Weight Per Meter
	P	d1 max	d1 min	b1 min	d2 max	L max	Lc max	h2 max	t/T max	Q min	Qo	q
	mm	mm	mm	mm	mm	mm	mm	mm	mm	kN/lbf	kN	Kg/m
P100 F1	100.0	60.0	-	34.0	18.0	-	69.0	45.0	6.0/5.0	140/31470	150.0	13.80
P100 F2	100.0	60.0	-	35.0	18.0	65.0	69.5	41.0	6.0/5.0	140/31470	150.0	13.17
P100 F3	100.0	60.0	75.0	36.0	18.0	65.0	70.5	45.0	6.0/5.0	140/31470	150.0	16.10
P100 F4	100.0	60.0	-	34.0	18.0	-	63.0	45.0	4.0	120/26977	130.0	11.20
P160 F1	160.0	80.0	96.0	48.0	25.0	95.5	102.0	65.0	10.0/8.0	315/70812	330.7	28.30

1.2.11 TOBACCO CONVEYOR CHAIN



Chain No.	G	F	L1	L2	d4
	mm	mm	mm	mm	mm
P76.2 A1	47.5	44.7	30.0	21.0	6.7


Chain No.	Pitch	Roller Diameter	Width Between Inner Plates	Pin Diameter		Plate Depth	Plate Thickness	Tensile Strength	Average Tensile Strength	Weight Per Meter
	P	d1 max	b1 min	d2 max	Lc max	h2 max	t/T max	Q min	Qo	q
	mm	mm	mm	mm	mm	mm	mm	kN/lbf	kN	Kg/m
P76.2 A1	76.2	38.1	25.2	11.0	57.0	28.7	5.0	80/17984	88.0	7.1



Chain No.	G	F	W	h4	d4
	mm	mm	mm	mm	mm
P125 A1	48.0	41.0	65.0	9.0	12.0


Chain No.	Pitch	Roller Diameter		Width Between Inner Plates	Pin Diameter		Plate Depth	Plate Thickness	Tensile Strength	Average Tensile Strength	Weight Per Meter
	P	d1 max	d5 max	b1 min	d2 max	Lc max	h2 max	t/T max	Q min	Qo	q
	mm	mm	mm	mm	mm	mm	mm	mm	kN/lbf	kN	Kg/m
P125 A1	125.0	50.0	60.0	28.0	12.0	60.0	80.0	5.0	80/17984	88.0	12.5

1.2.11 TOBACCO CONVEYOR CHAIN



Chain No.	G	L1	F	W	h4	d4
	mm	mm	mm	mm	mm	mm
P200 A2	115.0	85.0	62.0	83.3	36.0	13.5

Chain No.	Pitch	Roller Diameter		Width Between Inner Plates	Pin Diameter		Plate Depth	Plate Thickness	Tensile Strength	Average Tensile Strength	Weight Per Meter
	P	d1 max	d5 max	b1 min	d2 max	Lc max	h2 max	t/T max	Q min	Qo	q
	mm	mm	mm	mm	mm	mm	mm	mm	kN/lbf	kN	Kg/m
P200 A2	200.0	70.0	90.0	37.0	18.0	80.0	95.0	7.0	160/15968	172.8	18.8



Chain No.	G	F	W	h4	d4
	mm	mm	mm	mm	mm
P200 F1	90.0	79.0	136.0	21.5	14.0

Chain No.	Pitch	Roller Diameter		Width Between Inner Plates	Pin Diameter	Pin Length		Plate Depth	Plate Thickness	Tensile Strength	Average Tensile Strength	Weight Per Meter
	P	d1 max	b1 min	d2 max	L max	Lc max	h2 max	T max	Q min	Qo	q	
	mm	mm	mm	mm	mm	mm	mm	mm	mm	kN/lbf	kN	Kg/m
P200 F1	200.0	100.0	48.0	30.0	107.0	112.0	80.0	12.0	648/145670	680.0	37.8	13.80