



## 1.2.3 STEEL MILL CHAIN




Chain No.	Pitch	Width Between Inner Plates	Bush Diameter	Pin Diameter	Pin Length	Plate Thickness	Inner Plate Depth	Attachment Dimension		Tensile Strength	Weight Per Meter
	P	b1 min	d1 max	d2 max	Lc max	t	h2 max	d3	F	Q min	q
	mm	mm	mm	mm	mm	mm	mm	mm	kN/lbf	kN/lbf	kg/m
SHP152.4	152.4	48.0	39.0	25.0	176.0	12.0	62.0	133.0	150.0	1500.0/337200	23.7




Chain No.	Pitch	Width Between Inner Plates	Roller Diameter	Pin Diameter	Pin Length	Plate Thickness	Inner Plate Depth	Attachment Dimension		Tensile Strength	Weight Per Meter
	P	b1 min	d1 max	d2 max	Lc max	t	h2 max	d3	F	Q min	q
	mm	mm	mm	mm	mm	mm	mm	mm	kN/lbf	kN/lbf	kg/m
SHP63	63.0	30.0	48.0	14.0	115.0	6.0/6.0	40.0	44.0	98.0	160.0/35968	20.5
SHP101.6	101.6	48.0	63.5	18.0	150.0	8.0/8.0	40.0	50.0	134.0	235.0/52828	25.0

### 1.2.3 STEEL MILL CHAIN







Chain No.	Pitch	Roller Diameter	Width Between Inner Plates	Pin Diameter	Pin Length	Plate Thickness	Inner Plate Depth	Attachment Dimension			Tensile Strength	Weight Per Meter
	P	d1 max	b1 min	d2 max	Lc max	t	h2 max	h4	h5	h6	Q min	q
	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	kN/lbf	kg/m
SHP125-A	125.0	40.0	21.0	14.0	77.0	10.0	36.0	75.0	155.0	200.0	160.0/35968	11.70
SHP125-B	125.0	40.0	21.0	14.0	68.0	8.0	36.0	7.0	155.0	200.0	160.0/35968	9.26



Chain No.	Pitch	Roller Diameter	Width Between Inner Plates	Pin Diameter	Pin Length	Plate Thickness	Inner Plate Depth	Attachment Dimension			Tensile Strength	Average Tensile Strength	Weight Per Meter
	P	d1 max	b1 min	d2 max	Lc max	t	h2 max	h4	L1	L2	Q min	Q0	q
	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	kN/lbf	kN	kg/m
SHP100	100.0	31.8	16.0	9.7	54.0	6.3	28.6	145.0	15.0	30.0	160.0/35968	108.0	84.1
SHP100	100.0	31.8	16.0	9.7	54.0	6.3	28.6	145.0	70.0	30.0	160.0/35968	108.0	25.7



## 1.2.3 STEEL MILL CHAIN



Chain No.	Pitch	Roller Diameter	Width Between Inner Plates	Pin Diameter	Pin Length	Plate Thickness	Inner Plate Depth	Tensile Strength	Average Tensile Strength	Weight Per Meter
	P	d1 max	b1 min	d2 max	Lc max	t	h2 max	Q min	Q0 min	q
	mm	mm	mm	mm	mm	mm	mm	kN/lbf	kN	kg/m
SHP130	130	70	108	35	335	25.4/27.5	85	800/179840	880	149.7


Chain No.	Attachment Dimension				
	h4	h1	L1	L2	d5
	mm	mm	mm	mm	mm
SHP130	120	28.5	210	270	100

### 1.2.3 STEEL MILL CHAIN




Chain No.	Pitch		Pin Diameter	Width Between Inner Plates	Pin Length	Plate Dimension		Attachment Dimension				Tensile Strength
	P1	P2	d2 max	b1 min	Lc max	h2	T	G	W	T1	T2	Q min
	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	kN/lbf
SHP300/400	300	400	42	58	130	90	16	210	150	19	16	1270/285500
SHP350	350	-	38	53	118	80	16	210	150	19	16	1080/242793

## 1.2.3 STEEL MILL CHAIN




Chain No.	Pitch	Plate lacing	Pin Diameter	Pin Length	Plate Thickness	Plate Dimension		Tensile Strength	Average Tensile Strength	Weight Per Meter
	P		d2 min	Lc max	T	h2	M	Q min	Q0 min	q
	mm		mm	mm	mm	mm	mm	kN/lbf	kN	Kg/m
SHP150	150.0	18×19	30.0	1117.0	30.0	65.0	1119.0	5200/1169000	5700.0	365.0

### 1.2.3 STEEL MILL CHAIN




Chain No.	Pitch	Roller Diameter	Pin Diameter	Width Between Inner Plates	Pin Length	Plate Thickness	Attachment Dimension					Weight Per Meter
	P	d1 max	d2 max	b1	L max	T max	T1	W	F	d4	G	q
	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	kg/m
SHP75	75.0	35.0	15.0	28.0	56.0	6.0	6.0	100.0	76.0	12.0	50.0	22.3




Chain No.	Pitch	Roller Diameter	Pin Diameter	Width Between Inner Plates	Pin Length	Plate Thickness	Attachment Dimension				Tensile Strength	Weight Per Meter
	P	d1 max	d2 max	b1	L max	T max	F	W	d4	h1	Q min	q
	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	Kn/lbf	kg/m
SHP50.8	50.8	28.6	40.0	18.5	80.0	9.0	101.6	143.6	15.0	53.0	193/43416	11.2

## 1.2.3 STEEL MILL CHAIN




Chain No.	Pitch	Roller Diameter		Width Between Inner Plates	Pin diameter		Pin Length	Plate Dimension		Attachment Dimension				Tensile Strength
	P	d1 max	d4	b1 min	d2 max	d3 max	Lc max	h2	T max	G	W	T1	T2	Q min
	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	kN/lbf
SHP600	600.0	135.0	76.0	68.0	30.0	30.0	200.3	100.0	15.0	550	794	670	120	1000/224809




Chain No.	Pitch	Roller Diameter	Width Between Inner Plates	Pin diameter		Pin Length	Plate Dimension		Tensile Strength
	P	d4 max	b1	d2 max	d3 max	Lc max	h2	T max	Q min
	mm	mm	mm	mm	mm	mm	mm	mm	kN/lbf
SHP300	300.0	65.0	53.0	44.0	28.0	108.9	96.0	16.0	500.0/112404.0

### 1.2.3 STEEL MILL CHAIN




Chain No.	Pitch	Roller Diameter	Pin Diameter	Width Between Inner Plates	Pin Length	Plate Thickness	Inner Plate Depth	Attachment Dimension					Weight Per Meter
	P	d1 max	d2 max	b1 min	Lc max	t/T	h2 max	C	F	L	G	d4	q
	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	kg/m
SHP450	450.0	85.0	45.0	78.0	185.0	18.0	120.0	133.0	150.0	160.0	230.0	26.0	61.7




Chain No.	Pitch	Roller Diameter		Width Between Inner Plates	Pin Dimension	Pin Length	Plate Thickness	Inner Plate Depth	Attachment Dimension				Tensile Strength
	P	d1 max	d5 max	b1 min	d2 max	Lc max	t/T	h2 max	G	W	T1	T2	Q min
	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	kN/lbf
SHP250	250.0	60.0	100.0	65.0	30.0	203.0	10.0	70.0	100.0	200.0	135.0	15.0	415/92618



## 1.2.3 STEEL MILL CHAIN




Chain No.	Pitch	Roller Diameter	Pin Diameter	Pin Length	Plate Thickness	Attachment Dimension					Weight Per Meter
	P	d1 max	d2 max	L max	t/T	G	M	h4	h	T1	Q min
	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	kN/lbf
SHP500-A	500.0	170.0	80.0	281.0	50.0/25.0	470.0	250.0	175.0	269.0	30.0	1900/427419
SHP500-B	500.0	170.0	80.0	261.0	60.0/20.0	470.0	250.0	155.0	240.0	30.0	1600/359680




Chain No.	Pitch	Roller Diameter		Width Between Inner Plates	Pin Diameter	Pin Length	Plate Thickness	Plate Depth	Tensile Strength
	P	d1 max	d5 max	b1 min	d2 max	L max	T max	h2 max	Q min
	mm	mm	mm	mm	mm	mm	mm	mm	kN/lbf
SHP250	250.0	107.0	160.0	78.0	62.0	330.0	16.0	150.0	1000/224800
SHP500-A	500.0	107.0	160.0	78.0	62.0	325.0	20.0	150.0	800/179966
SHP500-B	500.0	107.0	160.0	76.0	62.0	310.0	16.0	150.0	700/157470
SHP500-C	500.0	107.0	160.0	78.0	62.0	310.0	16.0	150.0	1000/224800

### 1.2.3 STEEL MILL CHAIN




Chain No.	Pitch	Roller Diameter		Width Between Inner Plates	Pin diameter		Pin Length	Plate Dimension	Attachment Dimension				Tensile Strength	Weight Per Meter
	P	d1 max	d4 max	b1 min	d2 max	d3 max	L1 max	t/T max	L	L2	M	h4	Q min	q
	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	kN/lbf	Kg/m
SHP650	650.0	135.0	85.0	56.0	32.0	35.0	232.0	25.0	420	690	600	120	750/168718	214.5
SHP750	750.0	200.0	85.0	82.0	55.0	35.0	276.0	30.0/25.0	380	690	600	162.5	2050/460858	-

## 1.2.3 STEEL MILL CHAIN




Chain No.	Pitch	Roller Diameter	Width Between Inner Plates	Pin Diameter	Pin Length	Plate Thickness	Plate Depth	Attachment Dimension		Average Tensile Strength
	P	d1 max	b2 min	d2 max	Lc max	t/T max	h2	h2	W	Q0 min
	mm	mm	mm	mm	mm	mm	mm	mm	mm	kN/lbf
SHP600	600.0	150.0	117.0	38.0	187.0	18/15	122.0	105.7	220.0	1470/330687




Chain No.	Pitch	Roller Diameter		Width Between Inner Plates	Pin Dimension	Pin Length	Plate Thickness	Attachment Dimension				Tensile Strength
	P	d1 max	d5 max	b1	d2 max	L max	T max	G	W	T1	T2	Q min
	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	kN/lbf
SHP625	625.0	107.0	160.0	78.0	62.0	310.0	16.0	227.5	130.0	200.0	215.0	700/157470

### 1.2.3 STEEL MILL CHAIN




Chain No.	Pitch	Roller Diameter		Width Between Inner Plates	Pin Dimension	Plate Depth	Pin Length	Plate Thickness	Attachment Dimension		Tensile Strength
	P	d1 max	d5 max	b1	d2 max	h2	L max	T max	h4	M	Q min
	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	kN/lbf
SHP1000	1000.0	110.0	170.0	384.0	80.0	180.0	678.0	30.0	832.0	680.0	1800/404923




Chain No.	Pitch	Roller Diameter	Pin Diameter	Width Between Inner Plates	Pin Length	Plate Thickness	Inner Plate Depth	Attachment Dimension			Tensile Strength	Weight Per Meter
	P	d1 max	d2 max	b1 min	Lc max	t max	h2 max	h4	L1	G	Q min	q
	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	kN/lbf	kg/m
SHP250	250.0	107.0	62.0	78.0	330.0	16.0	150.0	840.4	213.0	280.0	1000/224800	270.5

## 1.2.3 STEEL MILL CHAIN





Chain No.	Pitch	Roller Diameter	Width Between Inner Plates	Pin Diameter	Pin Length	Inner Plate Depth	Plate Thickness	Tensile Strength	Weight Per Meter
	P	d1 max	b1 min	d2 max	Lc max	h2 max	t/T	Q min	q min
	mm	mm	mm	mm	mm	mm	mm	kN/lbf	kg/m
SHP95.25	95.25	44.45	33.30	15.88	81.00	38.10	8.00	180/40464	13.63

Chain No.	P	C	d4	T1	L1	G1	L2	G2	$\alpha$
	mm	mm	mm	mm	mm	mm	mm	mm	mm
SHP95.25	95.25	102.85	7.90	6.40	63.50	82.50	44.45	82.50	20°



Chain No.	Pitch	Roller Diameter		Width Between Inner Plates	Pin Diameter	Pin Length		Plate Thickness	Tensile Strength
	P	d1 max	d5 max	b1 min	d2 max	L max	L1 max	t/T	Q min
	mm	mm	mm	mm	mm	mm	mm	mm	kN/lbf
SHP300	300.0	95.0	65.0	50.0	44.0	135.0	222.0	50.0/16.0	500.0/112478


**1.2.3 STEEL MILL CHAIN**



Chain No.	P	E	H	h1	h2	F	L	L1	L2	L3
	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm
SHP200-A	200.0	15.0	63.0	130.0	112.0	38.0	171.0	50.0	22.0	38.0

Chain No.	b1	b2	d1	d2	d3	d4	d5	t	T	W	Tensile Strength
	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	kN/lbf
SHP200-A	40.0	62.0	22.0	19.0	50.0	70.0	33.0	6.5	10.0	113.0	300/67440



## 1.2.3 STEEL MILL CHAIN



Chain No.	P	b1	d1	d2	d3	H	E	F
	mm	mm	mm	mm	mm	mm	mm	mm
SHP260	260.0	80.0	50.0	40.0	70.0	120.0	150.0	240.0

Chain No.	t	T	L	K	R	Tensile Strength
	mm	mm	mm	mm	mm	mm
SHP260	20.0	19.0	200.0	158.0	60.0	1200/269760




1.2.3 STEEL MILL CHAIN



Chain No.	P	L	M	H	h	S	A	J	G	F	R	Tensile Strength kN/lbf ( min )
	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	Degree	
SHP160	160.0	320.0	80.0	135.5	21.0	27.0	12.0	73.0	28.5	25.0	2.5	410/92168




## 1.2.3 STEEL MILL CHAIN



Chain No.	P	H	S	F	d1	d2	d3	d4	d5
	mm	mm	mm	mm	mm	mm	mm	mm	mm
SHP200-3420	200.0	64.0	100.0	135.0	25.0	22.0	40.0	32.0	50.0

Chain No.	d6	L	L1	L2	V	Q	b1	T	W
	mm	mm	mm	mm	mm	mm	mm	mm	mm
SHP200-3420	80.0	185.0	86.5	93.0	31.0	85.0	48.0	9.5	124.0






### 1.2.3 STEEL MILL CHAIN



Chain No.	P	b1	b2	d1	d2	d3	d4	d5
	mm	mm	mm	mm	mm	mm	mm	mm
SHP150-HT4	150.0	40.0	61.0	25.0	25.0	35.0	35.0	42.0

Chain No.	d6	h	H	S	L	L1	T	Tensile Strength
	mm	mm	mm	mm	mm	mm	mm	mm
SHP150-HT4	83.0	104.0	50.0	90.0	170.0	105.0	10.0	350/78680

## 1.2.3 STEEL MILL CHAIN



Chain No.	P	b1	b2	d1	d2	d3	d4	d5	U	H	H1
	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm
SHP100-3120	100.0	26.0	40.0	25.0	15.8	60.0	60.0	31.0	90.0	38.1	160.0

Chain No.	h	F	F1	F2	T	T1	L	L1	S	W	Tensile Strength
	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm
SHP100-3120	52.3	220.0	187.0	221.3	6.35	12.7	64.0	98.0	17	300.0	180/40464